





# European Technical Assessment

## ETA-21/0414 of 27/07/2021

## **General Part**

Technical Assessment Body issuing the European Technical Assessment

Instytut Techniki Budowlanej

Trade name of the construction product

HILTI installation channels of MT System

Product family to which the construction product belongs

Products for installation systems for supporting technical building equipment

**Manufacturer** 

HILTI AG Feldkircherstraβe 100 9494 Schaan FÜRSTENTUM LIECHTENSTEIN

**Manufacturing plants** 

L 1138282, L 8321

This European Technical Assessment contains

17 pages including 3 Annexes which form an integral part of this Assessment

This European Technical Assessment is issued in accordance with regulation (EU) No 305/2011, on the basis of

European Assessment Document EAD 280016-00-0602 "Products for installation systems for supporting technical building equipment" This European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

#### **Specific Part**

## 1 Technical description of the product

This European Technical Assessment covers HILTI installation channels of MT System: MT-10, MT-15, MT-15 OC, MT-20, MT-20 OC, MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40 T, MT-40 T OC, MT-40 S, MT-40 S OC, MT-40 OC, MT-50 S, MT-50, MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC, MT-60 OC, MT-70 S OC, MT-70 OC, MT-80 S OC, MT-90 S OC, MT-90 OC, MT-100 S OC, MT-100 OC, MT-40D S, MT-40D, MT-40D S OC and MT-40D OC.

The HILTI installation channels: MT-10, MT-15, MT-15 OC, MT-20 and MT-20 OC are made of thin-walled steel in L- or C shape. Recesses in the form of oblong holes and round holes allow the use of fasteners and fixtures.

The HILTI installation channels: MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40 T, MT-40 T OC, MT-40 S, MT-40, MT-40 S OC, MT-40 OC, MT-50 S, MT-50, MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC and MT-60 OC are made of thin-walled steel in C shape. The profile flanges are turned at the end which makes it possible to force-fit the channels to specific channel system fixtures. Recesses in the form of oblong holes and round holes allow the use of fasteners and fixtures.

The HILTI installation channels: MT-70 S OC, MT-70 OC, MT-80 S OC, MT-80 OC, MT-90 S OC, MT-90 OC, MT-100 S OC and MT-100 OC are made of thin-walled steel closed profiles in square or rectangular shape with recesses in the form of round holes to allow use of fasteners and fixtures.

The HILTI installation channels: MT-40D S, MT-40D, MT-40D S OC and MT-40D OC consists of two profiles of similar types as MT-40 S, MT-40, MT-40 S OC and MT-40 OC which are connected in the area of back of the channels in a shape-fitting and force-fitting way.

The channels are delivered in length of 2 m for the channels MT-10, MT-15, MT-15 OC, MT-20 and MT-20 OC and in the lengths of 3 m or 6 m for the channels MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40 T, MT-40 T OC, MT-40 S, MT-40, MT-40 S OC, MT-40 OC, MT-50 S, MT-50, MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC, MT-60 OC, MT-70 S OC, MT-70 OC, MT-80 S OC, MT-90 S OC, MT-90 OC, MT-100 S OC, MT-100 OC, MT-40D S, MT-40D, MT-40D S OC and MT-40D OC. The channels can be cut to length as required.

The drawings, dimensions and materials of the HILTI installation channels of MT System are given in Annex A.

## 2 Specification of the intended use in accordance with the applicable European Assessment Document (EAD)

The performances given in clause 3 are only valid if HILTI installation channels of MT System are in compliance with the specifications and conditions given in Annex B.

The provisions made in this European Technical Assessment are based on an assumed working life of the HILTI installation channels of MT System of 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer or Technical Assessment Body, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

In accordance with the European Assessment Document EAD 280016-00-0602, the products are intended to be used under dry indoor conditions for supporting:

- pipes for the transport of water not intended for human consumption,
- pipes for the transport of gas/fuel intended for the supply of building heating/cooling systems,
- technical building equipment in general,
- components of fixed fire-fighting systems.

## 3 Performance of the product and references to the methods used for its assessment

## 3.1 Performance of the product

#### 3.1.1 Safety in case of fire (BWR 2)

| Essential characteristic  | Performance             |
|---|-------------------------|
| Reaction to fire  | Class A1                |
| Pull-through resistance of channel back holes under fire exposure | No performance assessed |
| Bending characteristics under fire exposure                       | No performance assessed |

#### 3.1.2 Safety and accessibility in use (BWR 4)

| Essential characteristic                                     | Performance             |
|--|-------------------------|
| Shape  | Annex A                 |
| Dimensions   | Annex A                 |
| Materials and cross-section characteristics                  | Annexes A and B         |
| Characteristic pull-through resistance of channel back holes | No performance assessed |

#### 3.2 Methods used for the assessment

The assessment of the products has been made in accordance with the European Assessment Document EAD 280016-00-0602 "Products for installation systems for supporting technical building equipment".

## 4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

For products for installation systems to be used for supporting pipes for the transport of water not intended for human consumption, according to the Decision 1999/427/EC of the European Commission, amended by the Decision 2001/596/EC, the system 4 of assessment and verification of constancy of performance (see Annex V to the regulation (EU) No 305/2011) applies.

For products for installation systems intended to be used for supporting pipes for the transport of gas/fuel intended for the supply of building heating/cooling systems, according to the Decision 1999/427/EC of the European Commission, amended by the Decision 2001/596/EC, the system 3 of assessment and verification of constancy of performance (see Annex V to the regulation (EU) No 305/2011) applies.

For products for installation systems intended to be used for supporting technical building equipment in general according to the Decision 97/161/EC of the European Commission, the system 2+ of assessment and verification of constancy of performance (see Annex V to the regulation (EU) No 305/2011) applies.

For products for installation systems intended to be used for supporting components of fixed fire-fighting systems according to Decision 96/577/EC of the European Commission, as amended by the Decision 2002/592/EC, the system 1 of assessment and verification of constancy of performance (see Annex V to the regulation (EU) No 305/2011) applies.

## 5 Technical details necessary for the implementation of the AVCP system, as provided in the applicable European Assessment Document (EAD)

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited in Instytut Techniki Budowlanej.

For the type testing the results of the tests performed as part of the assessment for the European Technical Assessment shall be used unless there are changes in the production line or plant. In such cases the necessary type testing has to be agreed between Instytut Techniki Budowlanej and the notified body.

Issued in Warsaw on 27/07/2021 by Instytut Techniki Budowlanej

Robert Gerylo, Ph.D

Director of ITB

Table A1: Shape, dimensions and materials of channels MT-10, MT-15, MT-15 OC, MT-20 and MT-20 OC

| Shape                                      | Item<br>number | Designation | Length<br>[m] | Material                                  |
|--|----------------|-------------|---------------|---|
| 1.2 20 50 10.5x33.5 $\phi$ 10.5            | 2268492        | MT-10       | 2             | S280GD+<br>Z275-M-A-C<br>acc. to EN 10346 |
| 50   | 2268493        | MT-15       | 2             | S280GD+<br>Z275-M-A-C<br>acc. to EN 10346 |
| 1.5<br>0<br>10.5x33.5<br>Ø10.5             | 2268494        | MT-15 OC    | 2             | S280GD+<br>ZM310-A-C<br>acc. to EN 10346  |
| 42.5<br>28 50<br>10.5x33.5<br>\$\rho\$10.5 | 2268495        | MT-20       | 2             | S280GD+<br>Z275-M-A-C<br>acc. to EN 10346 |
|  | 2268496        | MT-20 OC    | 2             | S280GD+<br>ZM310-A-C<br>acc. to EN 10346  |

| - 1 |  |  |
|-----|--|--|
|     | HILTI installation channels of MT System   | Annex A1   |
|     | Product description Shape, dimensions and materials of channels MT-10, MT-15, MT-15 OC, MT-20 and MT-20 OC | of European<br>Technical Assessment<br>ETA-21/0414 |

Table A2: Shape, dimensions and materials of channels MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40 T and MT-40 T OC

| Shape                          | Item<br>number | Designation | Length<br>[m] | Material                                   |
|--------------------------------|----------------|-------------|---------------|--|
| 50                             | 2268497        | MT-30 S     | 3             | S250GD+<br>Z275-M-A-C                      |
| 23 2 0 13.5 13.5x63            | 2268498        | MT-30       | 6             | acc. to EN 10346                           |
| 50                             | 2268499        | MT-30 S OC  | 3             | S250GD+<br>- ZM310-A-C<br>acc. to EN 10346 |
| 23 2 0 13.5 13.5×63            | 2268500        | MT-30 OC    | 6             |  |
| 1.75 42.5<br>42.5<br>2 13.5x63 | 2268502        | MT-40 T     | 3             | S280GD+<br>Z275-M-A-C<br>acc. to EN 10346  |
|                                | 2268504        | MT-40 T OC  | 3             | S280GD+<br>ZM310-A-C<br>acc to. EN 10346   |

## **Product description**

Shape, dimensions and materials of channels MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40T and MT-40 T OC

## Annex A2

Table A3: Shape, dimensions and materials of channels MT-40 S, MT-40 S OC, MT-40 OC, MT-50 S and MT-50

| Shape                        | Item<br>number | Designation | Length<br>[m] | Material                                 |
|------------------------------|----------------|-------------|---------------|--|
| 100                          | 2268505        | MT-40 S     | 3             | S280GD+<br>Z275-M-A-C                    |
| 42.5 0 0 13.5 x63            | 2268506        | MT-40       | 6             | acc. to EN 10346                         |
| 100                          | 2268507        | MT-40 S OC  | 3             | S280GD+<br>ZM310-A-C<br>acc. to EN 10346 |
| 42.5 2 13.5x63<br>22.3       | 2268508        | MT-40 OC    | 6             |  |
| 2.75 42.5 0 0 0 13.5x63 41.3 | 2268509        | MT-50 S     | 3             | \$280GD+                                 |
|                              | 2268510        | MT-50       | 6             | Z275-M-A-C<br>acc. to EN 10346           |

| HILTI installation channels of MT System  | Annex A3   |
|---|--|
| Product description Shape, dimensions and materials of channels MT-40 S, MT-40, MT-40 S OC, MT-40 OC, MT-50 S and MT-50 | of European<br>Technical Assessment<br>ETA-21/0414 |

Table A4: Shape, dimensions and materials of channels MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC and MT-60 OC

| Shape                       | Item<br>number | Designation | Length<br>[m] | Material                                  |
|-----------------------------|----------------|-------------|---------------|---|
| 2.75                        | 2268511        | MT-50 S OC  | 3             | S280GD+<br>ZM310-A-C                      |
| 42.5 13.5x63<br>0 013.5     | 2268512        | MT-50 OC    | 6             | acc to. EN 10346                          |
| 2.75<br>72<br>22.3          | 2268513        | MT-60 S     | 3             | S280GD+<br>Z275-M-A-C<br>acc. to EN 10346 |
|                             | 2268514        | MT-60       | 6             |   |
| 2.75                        | 2268515        | MT-60 S OC  | 3             | \$280GD+                                  |
| 72 0 13.x63 0 13.x63 0 22.3 | 2268516        | MT-60 OC    | 6             | ZM310-A-C<br>acc. to EN 10346             |

| HILTI installation channels of MT System  | Annex A4   |
|---|--|
| Product description Shape, dimensions and materials of channels MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC and MT-60 OC | of European<br>Technical Assessment<br>ETA-21/0414 |

Table A5: Shape, dimensions and materials of channels MT-70 S OC, MT-70 OC, MT-80 S OC, MT-80 OC, MT-90 S OC and MT-90 OC

| Shape                                     | Item<br>number | Designation | Length<br>[m] | Material                                 |
|---|----------------|-------------|---------------|--|
| 2.75                                      | 2268364        | MT-70 S OC  | 3             | \$350GD+<br>ZM310-A-C                    |
| 2.75 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 2268365        | MT-70 OC    | 6             | acc. to EN 10346                         |
| 50<br>50<br>00<br>00<br>00<br>23x23       | 2268366        | MT-80 S OC  | 3             | S350GD+<br>ZM310-A-C<br>acc. to EN 10346 |
| 100 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0   | 2268367        | MT-80 OC    | 6             |  |
|   | 2268368        | MT-90 S OC  | 3             | \$350GD+                                 |
|   | 2268369        | MT-90 OC    | 6             | ZM310-A-C<br>acc. to EN 10346            |

| HILTI installation channels of MT System  | Annex A5   |
|---|--|
| Product description Shape, dimensions and materials of channels MT-70 S OC, MT-70 OC, MT-80 S OC, MT-80 OC, MT-90 S OC and MT-90 OC | of European<br>Technical Assessment<br>ETA-21/0414 |


Table A6: Shape, dimensions and materials of channels MT-100 S OC, MT-100 OC, MT-40D S, MT-40D, MT-40D S OC and MT-40D OC

| Shape                  | Item<br>number | Designation    | Length<br>[m] | Material               |
|------------------------|----------------|----------------|---------------|------------------------|
| 150                    | 2268490        | MT-100 S OC    | 3             | \$350GD+<br>ZM310-A-C  |
|                        | 2268491        | MT-100 OC      | 6             | acc. to EN 10346       |
| 100<br>42.5<br>13.5x63 | 2268517        | MT-40D S       | 3             | S280GD+<br>Z275-M-A-C  |
|                        | 2268518        | MT-40D         | 6             | acc. to EN 10346       |
| 100                    | 2268519        | MT-40D S<br>OC | 3             | S280GD+<br>- ZM310-A-C |
| 13.5x63                | 2268520        | MT-40D OC      | 6             | acc. to EN 10346       |


| HILTI installation channels of MT System   | Annex A6   |
|--|--|
| Product description Shape, dimensions and materials of channels MT-100 S OC, MT-100 OC, MT-40D S, MT-40 D, MT-40D S OC and MT-40D OC | of European<br>Technical Assessment<br>ETA-21/0414 |

## Specification of intended use

- HILTI installation channels of MT System are used only for applications at ambient temperature.
- The resistance and deformation apply for static and centric loads.
- In the case of open profile channels, the open side of the channel profile can be orientated in all directions.
- The installation open profile channels and closed profile can be cut anywhere along the whole length.
- For closed profiles the distance between the end of the profile and start of the round hole has to be minimum 10 mm.



• For open profiles the distance between the end of the profile and center of the first round hole has to be minimum 25 mm.



- Threaded rods and other fixtures are only to be guided through the roundholes or longholes of the channel.
- Prior to installation, it must be ensured that the components to be supported by the installation channels, the connection components, the anchoring of the channels to the base material and the base material itself are suitable to withstand the resistance values of the channels as well as installation systems.
- The installation channels must be installed by appropriately qualified personnel and under the supervision of the site manager, according to the instruction of the manufacturer.

**HILTI installation channels of MT System** 

Annex B1

Intended use Specifications

Table C1. Properties of the cross section of channels MT-10, MT-15, MT-15 OC, MT-20 and MT-20 OC

| Description   | Symbol  | Unit              | MT-10                          | MT-15 / MT-15 OC               | MT-20 / MT-20 OC                           |
|---|---|-------------------|--------------------------------|--------------------------------|--|
| Cross section<br>(dimensions in mm)                         | -   | -                 | 2.6<br>7 Zv                    | 26.25<br>26.25                 | Z V ST |
| Classification cross section in accordance with EN 1993-1-1 | -   | -                 | 3                              | 3                              | 3  |
| Cross section areas   | A<br>A <sub>tot</sub>   | cm <sup>2</sup>   | 0.49<br>0.49                   | 0.85<br>0.85                   | 1.49<br>1.49                               |
| Shear areas   | A <sub>y</sub>  | cm <sup>2</sup>   | 0.08<br>0.17                   | 0.15<br>0.30                   | 0.36<br>0.35                               |
| Centroid position   | Ус,0<br>Z <sub>С,0</sub>  | cm                | 1.22                           | 1.93<br>1.19                   | 2.02<br>1.64                               |
| Moments of inertia  | I <sub>y</sub>  | cm⁴<br>cm⁴        | 0.41<br>0.23                   | 1.27<br>0.72                   | 1.86<br>3.66                               |
| Polar moments of inertia                                    | Ip  | cm⁴               | 0.64                           | 1.98                           | 5.52                                       |
| Radii of gyration   | I <sub>p,M</sub><br>i <sub>y</sub><br>i <sub>z</sub>                        | cm⁴<br>cm         | 1.26<br>0.91<br>0.69           | 3.80<br>1.22<br>0.92           | 14.71<br>1.12<br>1.57                      |
| Polar radii of gyration                                     | i <sub>p</sub>  | cm                | 1.14<br>1.61                   | 1.53<br>2.11                   | 1.92<br>3.14                               |
| Warping radius of gyration                                  | i <sub>ω,M</sub>  | cm                | 0.12                           | 0.15                           | 0.78                                       |
| Torsional constant Secondary torsional constant             | J<br>Js   | cm <sup>4</sup>   | 0.0015<br>0.18                 | 0.0045<br>0.47                 | 0.01<br>2.21                               |
| Location of the shear center                                | Ум,о  | cm<br>cm<br>cm    | 1.78<br>-0.06<br>0.56<br>-0.99 | 2.67<br>-0.07<br>0.74<br>-1.26 | 2.02<br>4.12<br>0.00<br>2.48               |
| Warping constants   | Ι <sub>ω,C</sub>  | cm <sup>6</sup>   | 0.54<br>0.02                   | 2.86<br>0.09                   | 31.61<br>9.04                              |
| Section moduli  | S <sub>y,max</sub> S <sub>y,min</sub> S <sub>z,max</sub> S <sub>z,min</sub> | cm³<br>cm³<br>cm³ | 0.25<br>-0.41<br>0.45<br>-0.16 | 0.57<br>-1.00<br>1.03<br>-0.36 | 1.78<br>-1.08<br>1.73<br>-1.73             |
| Torsional section modulus                                   | St  | cm <sup>3</sup>   | 0.01                           | 0.03                           | 0.06                                       |
| Max. plastic bending moment                                 | $M_{pl,y,k}$ $M_{pl,z,k}$   | kNm<br>kNm        | NPA<br>NPA                     | NPA<br>NPA                     | NPA<br>NPA                                 |
| Max. plastic section moduli                                 | Z <sub>y</sub>  | cm <sup>3</sup>   | NPA<br>NPA                     | NPA<br>NPA                     | NPA<br>NPA                                 |
| Plastic shear areas   | A <sub>pl,y</sub><br>A <sub>pl,z</sub>                                      | cm <sup>2</sup>   | NPA<br>NPA                     | NPA<br>NPA                     | NPA<br>NPA                                 |
| Area bisecting axis position                                | f <sub>y,0</sub>  | cm                | NPA<br>NPA                     | NPA<br>NPA                     | NPA<br>NPA                                 |
| Plastic shear forces  | $V_{pl,y,k}$  | kN<br>kN          | NPA<br>NPA                     | NPA<br>NPA                     | NPA<br>NPA                                 |
| Plastic axial forces  | V <sub>pl,z,k</sub>   | kN                | NPA                            | NPA                            | NPA  |
| Buckling curves   | BC <sub>y</sub>   | -                 | c<br>c                         | c<br>c                         | c<br>c                                     |

## **Performances**

Cross section characteristic of channels MT-10, MT-15, MT-15 OC, MT-20 and MT-20 OC

## Annex C1

Table C2. Properties of the cross section of channels MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40 T, MT-40 T OC, MT-40 S, MT-40, MT-40 S OC and MT-40 OC

| Description   | Symbol                 | Unit            | MT-30 S / MT-30<br>/ MT-30 S OC /<br>MT-30 OC | MT-40 T /<br>MT-40 T OC | MT-40 S / MT-40<br>/ MT-40 S OC /<br>MT-40 OC |
|---|------------------------|-----------------|---|-------------------------|---|
| Cross section<br>(dimensions in mm)                         | -                      | -               | 2 V S   | 42.5<br>Y               | 41.5 ·  |
| Classification cross section in accordance with EN 1993-1-1 | 1-                     |                 | 3   | 3                       | 3   |
| Cross section areas   | Α                      | cm <sup>2</sup> | 1.81  | 1.76                    | 2.15  |
|   | A <sub>tot</sub>       | cm <sup>2</sup> | 1.81  | 1.76                    | 2.15  |
| Shear areas   | Ay                     | cm <sup>2</sup> | 0.25  | 0.43                    | 0.24  |
|   | Az                     | cm <sup>2</sup> | 0.62  | 1.30                    | 1.39  |
| Centroid position   | <b>У</b> с,0           | cm              | 2.02  | 2.13                    | 2.02  |
|   | Z <sub>C,0</sub>       | cm<br>cm⁴       | 1.10<br>1.22                                  | 2.30<br>4.85            | 2.07  |
| Moments of inertia  | l <sub>y</sub>         | cm <sup>4</sup> | 5.22  | 5.73                    | 5.80<br>6.61                                  |
|   | I <sub>p</sub>         | cm <sup>4</sup> |   |                         |   |
| Polar moments of inertia                                    | <u> </u>               |                 | 6.43<br>16.42                                 | 10.58                   | 12.41   |
|   | I <sub>p,M</sub>       | cm⁴             |   | 40.93                   | 55.83   |
| Radii of gyration   | ly<br>:                | cm              | 0.82<br>1.70                                  | 1.66                    | 1.64  |
|   | i <sub>z</sub>         | cm              | 1.70  | 1.80<br>2.45            | 1.75<br>2.40                                  |
| Polar radii of gyration                                     | i <sub>p</sub>         | cm              | 3.01  | 4.82                    | 5.10  |
| Warping radius of gyration                                  | I <sub>p,M</sub>       | cm              | 0.72  | 0.80                    | 0.83  |
| Torsional constant  | i <sub>ω,M</sub>       |                 |   | 8 302 5                 |   |
| Secondary torsional constant                                | J<br>J <sub>s</sub>    | cm⁴<br>cm⁴      | 0.02<br>3.83                                  | 0.02<br>7.78            | 0.03<br>8.74                                  |
| Secondary torsional constant                                |                        | cm              | 2.02  | 2.13                    | 2.02  |
|   | Ум,о<br><b>7</b> о     | cm              | 3.45  | 6.45                    | 6.57  |
| Location of the shear center                                | Z <sub>М,0</sub><br>Ум | cm              | 0.00  | 0.00                    | 0.00  |
|   | Z <sub>M</sub>         | cm              | 2.35  | 4.15                    | 4.49  |
|   | I <sub>ω,C</sub>       | cm <sup>6</sup> | 37.34   | 125.13                  | 172.04  |
| Warping constants   | I <sub>ω,M</sub>       | cm <sup>6</sup> | 8.52  | 26.38                   | 38.40   |
|   | S <sub>y,max</sub>     | cm <sup>3</sup> | 1.11  | 2.49                    | 2.79  |
| Continuo monduli  | S <sub>y,min</sub>     | cm <sup>3</sup> | -1.01   | -2.11                   | -2.67   |
| Section moduli  | S <sub>z,max</sub>     | cm <sup>3</sup> | 2.45  | 2.69                    | 3.11  |
|   | $S_{z,min}$            | cm <sup>3</sup> | -2.45   | -2.69                   | -3.11   |
| Torsional section modulus                                   | St                     | cm <sup>3</sup> | 0.08  | 0.12                    | 0.13  |
| Max. plastic bending moment                                 | $M_{pl,y,k}$           | kNm             | NPA   | NPA                     | NPA   |
| Max. plastic bending moment                                 | $M_{pl,z,k}$           | kNm             | NPA   | NPA                     | NPA   |
| Max. plastic section moduli                                 | $Z_{y}$                | cm <sup>3</sup> | NPA   | NPA                     | NPA   |
| max. plastic scotlon moduli                                 | Zz                     | cm <sup>3</sup> | NPA   | NPA                     | NPA   |
| Plastic shear areas   | $A_{pl,y}$             | cm <sup>2</sup> | NPA   | NPA                     | NPA   |
| i idolo dileai areas  | $A_{pl,z}$             | cm <sup>2</sup> | NPA   | NPA                     | NPA   |
| Area bisecting axis position                                | f <sub>y,0</sub>       | cm              | NPA   | NPA                     | NPA   |
| Area disecting axis position                                | f <sub>z,0</sub>       | cm              | NPA   | NPA                     | NPA   |
| Plastic chear forces  | $V_{pl,y,k}$           | kN              | NPA   | NPA                     | NPA   |
| Plastic shear forces  | $V_{pl,z,k}$           | kN              | NPA   | NPA                     | NPA   |
| Plastic axial forces  | $N_{pl,k}$             | kN              | NPA   | NPA                     | NPA   |
| D   | BC <sub>v</sub>        | -               | С   | С                       | С   |
| Buckling curves   | BCz                    | _               | С   | С                       | c   |

## Performances

Cross section characteristic of channels MT-30 S, MT-30, MT-30 S OC, MT-30 OC, MT-40 T, MT-40 T OC, MT-40 S, MT-40, MT-40 S OC and MT-40 OC

## Annex C2

Table C3. Properties of the cross section of channels MT-50 S, MT-50, MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC, MT-60 OC, MT-70 S OC and MT-70 OC

| Description   | Symbol                               | Unit            | MT-50 S / MT-50<br>/ MT-50 S OC / | MT-60 S / MT-60<br>/ MT-60 S OC / | MT-70 S OC /   |
|---|--------------------------------------|-----------------|-----------------------------------|-----------------------------------|----------------|
|   |                                      |                 | MT-50 OC                          | MT-60 OC                          | MT-70 OC       |
| Cross section<br>(dimensions in mm)                         | -                                    | -               | 41.13<br>12 Y                     | 41.13<br>v V                      | 25 Y           |
| Classification cross section in accordance with EN 1993-1-1 | -                                    | -               | 3                                 | 4                                 | 3              |
| Cross section areas   | A<br>A <sub>tot</sub>                | cm <sup>2</sup> | 2.77<br>2.77                      | 4.70<br>4.70                      | 4.32<br>4.32   |
| Shear areas   | A <sub>y</sub>                       | cm <sup>2</sup> | 0.32<br>1.67                      | 0.30<br>3.22                      | 1.78<br>1.78   |
| Centroid position   | Ус,0<br>Z <sub>С,0</sub>             | cm<br>cm        | 1.99<br>2.07                      | 1.99<br>3.66                      | 0.00<br>0.00   |
| Moments of inertia  | l <sub>y</sub>                       | cm⁴<br>cm⁴      | 7.07<br>8.30                      | 26.81<br>16.04                    | 15.96<br>15.96 |
| Polar moments of inertia                                    | I <sub>p</sub>                       | cm⁴<br>cm⁴      | 15.36<br>66.91                    | 42.85<br>267.95                   | 31.93<br>31.93 |
| Radii of gyration   | i <sub>y</sub>                       | cm              | 1.60<br>1.73                      | 2.39                              | 1.92           |
| Polar radii of gyration                                     | İp                                   | cm              | 2.35<br>4.91                      | 3.02<br>7.55                      | 2.72           |
| Warping radius of gyration                                  | l <sub>p,M</sub><br>i <sub>ω,M</sub> | mm              | 0.78                              | 0.74                              | 0.25           |
| Torsional constant  | J                                    | cm⁴             | 0.05                              | 0.09                              | 19.95          |
| Secondary torsional constant                                | J <sub>s</sub>                       | cm⁴             | 9.76                              | 17.64                             | 3.12           |
|   | Ум,о                                 | cm              | 1.99                              | 1.99                              | 0.00           |
|   | Z <sub>M.0</sub>                     | cm              | 6.38                              | 10.59                             | 0.00           |
| Location of the shear center                                | Ум                                   | cm              | 0.00                              | 0.00                              | 0.00           |
|   | Z <sub>M</sub>                       | cm              | 4.31                              | 6.92                              | 0.00           |
|   | lω,c                                 | cm <sup>6</sup> | 195.50                            | 914.85                            | 2.04           |
| Warping constants   | I <sub>ω,M</sub>                     | cm <sup>6</sup> | 41.10                             | 144.98                            | 2.04           |
|   | S <sub>y,max</sub>                   | cm <sup>3</sup> | 3.46                              | 7.89                              | 6.39           |
| Section moduli  | S <sub>y,min</sub>                   | cm <sup>3</sup> | -3.21                             | -7.09                             | -6.39          |
| Section moduli  | S <sub>z,max</sub>                   | cm <sup>3</sup> | 3.90                              | 7.55                              | 6.39           |
|   | S <sub>z,min</sub>                   | cm <sup>3</sup> | -3.90                             | -7.55                             | -6.39          |
| Torsional section modulus                                   | St                                   | cm <sup>3</sup> | 0.17                              | 0.31                              | 7.62           |
| Max. plastic bending moment                                 | $M_{pl,y,k}$                         | kNm             | NPA                               | NPA                               | NPA            |
| wax. plastic bending moment                                 | $M_{pl,z,k}$                         | kNm             | NPA                               | NPA                               | NPA            |
| Max. plastic section moduli                                 | $Z_{y}$                              | cm <sup>3</sup> | NPA                               | NPA                               | NPA            |
|   | Z <sub>z</sub>                       | cm <sup>3</sup> | NPA                               | NPA                               | NPA            |
| Plastic shear areas   | $A_{pl,y}$                           | cm <sup>2</sup> | NPA                               | NPA                               | NPA            |
|   | $A_{pl,z}$                           | cm <sup>2</sup> | NPA                               | NPA                               | NPA            |
| Area bisecting axis position                                | f <sub>y,0</sub>                     | cm              | NPA                               | NPA                               | NPA            |
| Area bisecuing axis position                                | f <sub>z,0</sub>                     | cm              | NPA                               | NPA                               | NPA            |
| Distinction   | $V_{pl,y,k}$                         | kN              | NPA                               | NPA                               | NPA            |
| Plastic shear forces  | $V_{pl,z,k}$                         | kN              | NPA                               | NPA                               | NPA            |
| Plastic axial forces  | N <sub>pl,k</sub>                    | kN              | NPA                               | NPA                               | NPA            |
|   | BC <sub>y</sub>                      | -               | C                                 | С                                 | C              |
| Buckling curves   | BCz                                  | -               | c                                 | C                                 | c              |

## **Performances**

Cross section characteristic of channels MT-50 S, MT-50, MT-50 S OC, MT-50 OC, MT-60 S, MT-60, MT-60 S OC, MT-60 OC, MT-70 S OC and MT-70 OC

## Annex C3

Table C4. Properties of the cross section of channels MT-80 S OC, MT-90 OC, MT-90 S OC, MT-90 OC, MT-100 S OC and MT-100 OC

| Description   | Symbol              | Unit            | MT-80 S OC /<br>MT-80 OC                   | MT-90 S OC /<br>MT-90 OC | MT-100 S OC /<br>MT-100 OC |
|---|---------------------|-----------------|--|--------------------------|----------------------------|
| Cross section<br>(dimensions in mm)                         | -                   | -               | )S , Y , Z , Z , Z , Z , Z , Z , Z , Z , Z | S Y                      | 92 Y                       |
| Classification cross section in accordance with EN 1993-1-1 | -                   | -               | 3  | 3                        | 3                          |
| Cross section areas   | Α                   | cm <sup>2</sup> | 5.96                                       | 9.80                     | 15.63                      |
|   | A <sub>tot</sub>    | cm <sup>2</sup> | 5.96                                       | 9.80                     | 15.63                      |
| Shear areas   | A <sub>y</sub>      | cm <sup>2</sup> | 1.78                                       | 3.94                     | 4.49                       |
|   | Az                  | cm <sup>2</sup> | 4.62                                       | 3.94                     | 8.27                       |
| Centroid position   | <b>y</b> c,0        | cm              | 0.00                                       | 0.00                     | 0.00                       |
|   | Z <sub>C,0</sub>    | cm              | 0.00                                       | 0.00                     | 0.00                       |
| Moments of inertia  | ly                  | cm⁴             | 88.39                                      | 151.49                   | 490.02                     |
|   | lz                  | cm⁴             | 24.61                                      | 151.49                   | 262.25                     |
| Polar moments of inertia                                    | I <sub>p</sub>      | cm⁴             | 113.00                                     | 302.97                   | 752.27                     |
| . S.G. Mononio of mortic                                    | I <sub>p,M</sub>    | cm <sup>4</sup> | 113.00                                     | 302.97                   | 752.27                     |
| Radii of gyration   | İy                  | cm              | 3.85                                       | 3.93                     | 5.60                       |
|   | i <sub>z</sub>      | cm              | 2.03                                       | 3.93                     | 4.10                       |
| Polar radii of gyration                                     | İp                  | cm              | 4.36                                       | 5.56                     | 6.94                       |
| - ciai raan or gyranon                                      | i <sub>p,M</sub>    | cm              | 4.36                                       | 5.56                     | 6.94                       |
| Warping radius of gyration                                  | i <sub>ω,M</sub>    | cm              | 0.60                                       | 0.23                     | 0.63                       |
| Torsional constant  | J                   | cm⁴             | 67.13                                      | 204.70                   | 475.42                     |
| Secondary torsional constant                                | Js                  | cm <sup>4</sup> | 9.24                                       | 22.23                    | 23.94                      |
|   | Ум,о                | cm              | 0.00                                       | 0.00                     | 0.00                       |
| Location of the shear center                                | Z <sub>M,0</sub>    | cm              | 0.00                                       | 0.00                     | 0.00                       |
| Location of the shear center                                | Ум                  | cm              | 0.00                                       | 0.00                     | 0.00                       |
|   | Z <sub>M</sub>      | cm              | 0.00                                       | 0.00                     | 0.00                       |
| Warping constants   | I <sub>ω,C</sub>    | cm <sup>6</sup> | 40.95                                      | 15.47                    | 303.04                     |
| vvarping constants  | l <sub>ω,M</sub>    | cm <sup>6</sup> | 40.95                                      | 15.47                    | 303.04                     |
|   | S <sub>y,max</sub>  | cm <sup>3</sup> | 17.68                                      | 30.30                    | 65.34                      |
| Section moduli  | S <sub>y,min</sub>  | cm <sup>3</sup> | -17.68                                     | -30.30                   | -65.34                     |
| occion moduli   | S <sub>z,max</sub>  | cm <sup>3</sup> | 9.84                                       | 30.30                    | 52.45                      |
|   | S <sub>z,min</sub>  | cm <sup>3</sup> | -9.84                                      | -30.30                   | -52.45                     |
| Torsional section modulus                                   | St                  | cm <sup>3</sup> | 16.26                                      | 33.99                    | 50.87                      |
| Max. plastic bending moment                                 | M <sub>pl,y,k</sub> | kNm             | NPA  | NPA                      | NPA                        |
|   | $M_{pl,z,k}$        | kNm             | NPA  | NPA                      | NPA                        |
| Max. plastic section moduli                                 | Z <sub>y</sub>      | cm <sup>3</sup> | NPA  | NPA                      | NPA                        |
|   | Z <sub>z</sub>      | cm <sup>3</sup> | NPA  | NPA                      | NPA                        |
| Plastic shear areas   | $A_{pl,y}$          | cm <sup>2</sup> | NPA  | NPA                      | NPA                        |
| i idolo siledi dieds  | $A_{pl,z}$          | cm <sup>2</sup> | NPA  | NPA                      | NPA                        |
| Area bigoeting avic position                                | f <sub>y,0</sub>    | cm              | NPA  | NPA                      | NPA                        |
| Area bisecting axis position                                | f <sub>z,0</sub>    | cm              | NPA  | NPA                      | NPA                        |
| Disatis also a fee  | $V_{pl,y,k}$        | kN              | NPA  | NPA                      | NPA                        |
| Plastic shear forces  | $V_{pl,z,k}$        | kN              | NPA  | NPA                      | NPA                        |
| Plastic axial forces  | N <sub>pl,k</sub>   | kN              | NPA  | NPA                      | NPA                        |
|   | BC <sub>y</sub>     | -               | C  | C                        | C                          |
| Buckling curves   | BC <sub>z</sub>     |                 | C  | С                        | C                          |

## **Performances**

Cross section characteristic of channels MT-80 S OC, MT-80 OC, MT-90 S OC, MT-90 OC, MT-100 S OC and MT-100 OC

## Annex C4

Table C5. Properties of the cross section of channels MT-40D S, MT-40D, MT-40D S OC and MT-40D OC

| Description   | Symbol                                 | Unit                  | MT-40D S / MT-40D / MT-40D S OC / MT-40D OC |
|---|--|-----------------------|---|
| Cross section<br>(dimensions in mm)                         | -                                      | -                     | T Y Y Z1.25                                 |
| Classification cross section in accordance with EN 1993-1-1 | -                                      | -                     | 3   |
| Cross section areas   | Α                                      | cm <sup>2</sup>       | 4.31  |
|   | A <sub>tot</sub>                       | cm <sup>2</sup>       | 4.31  |
| Shear areas   | Ay                                     | cm <sup>2</sup>       | 0.47  |
|   | Az                                     | cm <sup>2</sup>       | 1.16  |
| Centroid position   | <b>y</b> c,0                           | cm                    | 0.00  |
|   | Z <sub>C,0</sub>                       | cm<br>em4             | 0.00  |
| Moments of inertia  | ly                                     | cm⁴<br>cm⁴            | 30.13<br>13.22                              |
|   | l <sub>z</sub>                         |                       |   |
| Polar moments of inertia                                    | I <sub>p</sub>                         | cm <sup>4</sup>       | 43.35                                       |
|   | I <sub>p,M</sub>                       | cm⁴                   | 43.35                                       |
| Radii of gyration   | ly<br>:                                | cm                    | 2.64  |
|   | i <sub>z</sub>                         | cm                    | 1.75  |
| Polar radii of gyration                                     | i <sub>p</sub>                         | cm                    | 3.17  |
|   | İ <sub>p,M</sub>                       | cm                    | 3.17  |
| Warping radius of gyration                                  | i <sub>ω,M</sub>                       | cm                    | 1.89  |
| Torsional constant  | J                                      | cm⁴                   | 0.05  |
| Secondary torsional constant                                | Js                                     | cm⁴                   | 6.79  |
|   | Ум.о                                   | cm                    | 0.00  |
| Location of the shear center                                | Z <sub>M,0</sub>                       | cm                    | 0.00  |
|   | Ум                                     | cm                    | 0.00  |
|   | Z <sub>M</sub>                         | cm<br>cm <sup>6</sup> | 0.00<br>154.25                              |
| Warping constants   | l <sub>ω,C</sub>                       | cm <sup>6</sup>       | 154.25                                      |
|   | I <sub>ω,M</sub><br>S <sub>y,max</sub> | cm <sup>3</sup>       | 7.09  |
|   | S <sub>y,min</sub>                     | cm <sup>3</sup>       | -7.09                                       |
| Section moduli  | S <sub>z,max</sub>                     | cm <sup>3</sup>       | 6.22  |
|   | S <sub>z,min</sub>                     | cm <sup>3</sup>       | -6.22                                       |
| Torsional section modulus                                   | St                                     | cm <sup>3</sup>       | 0.26  |
|   | M <sub>pl,y,k</sub>                    | kNm                   | NPA   |
| Max. plastic bending moment                                 | M <sub>pl,z,k</sub>                    | kNm                   | NPA   |
|   | Z <sub>y</sub>                         | cm <sup>3</sup>       | NPA   |
| Max. plastic section moduli                                 | Z <sub>z</sub>                         | cm <sup>3</sup>       | NPA   |
|   | A <sub>pl,y</sub>                      | cm <sup>2</sup>       | NPA   |
| Plastic shear areas   | A <sub>pl,z</sub>                      | cm <sup>2</sup>       | NPA   |
|   | f <sub>y,0</sub>                       | cm                    | NPA   |
| Area bisecting axis position                                | f <sub>z,0</sub>                       | cm                    | NPA   |
|   |  | kN                    | NPA   |
| Plastic shear forces  | V <sub>pl,y,k</sub>                    |                       | NPA   |
| Plastic axial forces  | V <sub>pl,z,k</sub>                    | kN                    | NPA NPA                                     |
| Flasuc axiai lorces   | N <sub>pl,k</sub>                      | kN                    |   |
| Buckling curves   | BC <sub>y</sub>                        | -                     | С   |
|   | BCz                                    | -                     | С   |

| HILTI | installation | channels | of MT | System |
|-------|--------------|----------|-------|--------|
|       |              |          |       |        |

## **Performances**

Cross section characteristic of channels MT-40D S, MT-40D, MT-40D S OC and MT-40D OC

## Annex C5